






EQUIPMENT LIST MODIFIED COVID-19 PLAN: NURSE AIDE SKILLS EVALUATION





This form is used with all facility audits and must be completed to ensure the testing site has all required items. For each item listed in the first column, please place a check in the YES or NO column to verify if the criteria has been met. If **all** criteria have been met on this form, then go to the INF/RTS QUALITY FACILITY AUDIT QUESTIONNAIRE-CATEGORY II: SKILLS EXAM ROOM and complete #19.

Please consult your state’s Credentia Nurse Aide Candidate Handbook, found on <https://credentia.com/test-takers> to confirm the skills to be tested in your state that are associated with the equipment list below. * COVID-19 modifications/updates

START-UP FURNITURE AND EQUIPMENT				
ITEMS	YES	NO	COVID-19 AMOUNTS	
<p>Bed, adjustable bed with *non telescoping side rails.</p> <p>Side rails must be in good working condition and go up and down.</p> <p>Head of the bed must go up/down, and wheels must lock/unlock.</p>			1 per Nurse Aide Evaluator (NAE) testing	 YES  YES  NO*
Chair			1 per NAE testing	
<p>Clock (preferred) or Analog wristwatch with Second Hand (No Smart Watch)</p> <p>A clock must be visible from all angles. The testing room may require multiple clocks.</p>			1 per NAE testing unless wall clock can be clearly seen from all testing angles	
Fax machine - Dedicated (accessible to skills lab)			1 per testing site	
Linen Receptacle (designated for used/soiled linen)			1 per NAE testing	 Or similar






EQUIPMENT LIST MODIFIED COVID-19 PLAN: NNAAP SKILLS EVALUATION

Please consult your state's Credentia Nurse Aide Candidate Handbook, found on <https://credentia.com/test-takers> to confirm the skills to be tested in your state that are associated with the equipment list below. *** COVID-19 modifications/updates**

<p>Mannequin* (must be a full female mannequin able to accept catheter)</p> <p>*[MD: Although no catheter skill performed, mannequin with female genitalia is required for perineal care].</p>			<p>1 per every 2 NAE testing</p>	
<p>Privacy curtain*, Screen or Door if private room</p> <p>[*North Carolina- Must be a 360° Privacy curtain]</p>			<p>1 per NAE testing</p>	 <p>Or Moveable Screens or Doors</p>
<p>Scale, calibrated (bathroom/standing)</p> <p>[NO electronic scale, NO digital scale]</p> <p>[North Carolina- Must be a Standing Scale]</p>			<p>1 for usage of all NAEs</p>	
<p>Signaling device, movable</p> <p>(Must be on cord and attached to bed, can be non-functional)</p>			<p>1 per skills bed</p>	 <p>Found by or attached to hospital bed</p>


EQUIPMENT LIST MODIFIED COVID-19 PLAN: NNAAP SKILLS EVALUATION

Please consult your state's Credentia Nurse Aide Candidate Handbook, found on <https://credentia.com/test-takers> to confirm the skills to be tested in your state that are associated with the equipment list below. * COVID-19 modifications/updates

<p>Sink with plumbing and running hot & cold water.</p> <p>*Portable Sinks are not allowed to be used.</p>			<p>Minimum 1 sink</p>	 <p>NO*</p>
<p>Bedside Table</p>			<p>1 per NAE testing</p>	
<p>Table, over bed</p>			<p>1 per NAE testing</p>	
<p>Toilet or Bedside Commode clearly labeled as toilet (<i>preferred</i>)</p>			<p>1 for usage of all NAEs</p>	
<p>Wastebasket with liner</p>			<p>1 by each bed used. 1 by each sink used. 1 for the PPE Station</p>	
<p>Standard sized wheelchair with footrests.</p> <p>Footrests must be removable or fold back. Wheel locks must be in working condition.</p>			<p>1 for usage of all NAEs</p>	
<p>Paper towel holder/dispenser</p> <p>Paper towels cannot be loose on the sink. The candidate must have access to clean, dry paper towels.</p>			<p>1 per sink used for testing</p>	<p>YES NO</p> 

EQUIPMENT LIST MODIFIED COVID-19 PLAN: NNAAP SKILLS EVALUATION

Please consult your state's Credentia Nurse Aide Candidate Handbook, found on <https://credentia.com/test-takers> to confirm the skills to be tested in your state that are associated with the equipment list below. * COVID-19 modifications/updates

LINEN/CLOTHING				
ITEMS	YES	NO	COVID-19 AMOUNTS	
Bath towels Minimum of 36 Bath towels needed.			3 Per Candidate Scheduled 12 Candidate Maximum (3 X 12 = 36 Bath Towels.)	
Clothing protector (bib or towel)			2 Per NAE Testing	
Clothing tops (Extra-large & XXL shirts or blouses that open in the front. No more than four (4) buttons/snaps -no hospital gowns) Minimum of 24 clothing tops needed.			2 Per Candidate Scheduled 12 Candidate Maximum (2 X 12 = 24 clothing Tops.)	
Gowns (patient) Minimum of 24 patient gown needed.			2 Per Candidate Scheduled 12 Candidate Maximum (2 X 12 = 24 patient gowns.)	
Bottom sheets (Fitted or Flat)			If mattress covered in plastic and can be wiped down the mattress does not need bottom sheet. If cannot be wiped down, a clean bottom sheet required for each candidate scheduled if the same bed is used for mannequin as is used for the live client, sheets/pillowcases used for mannequin must be	








EQUIPMENT LIST MODIFIED COVID-19 PLAN: NNAAP SKILLS EVALUATION

Please consult your state's Credentia Nurse Aide Candidate Handbook, found on <https://credentia.com/test-takers> to confirm the skills to be tested in your state that are associated with the equipment list below. * COVID-19 modifications/updates

			removed and replaced with live client bedding or wiped down. Mannequin only beds do not need extra sheets.	
Linens: Pillowcase, top sheet.			One (1) top sheet required for each candidate scheduled & One (1) top sheet required for the entire testing day to be used on the mannequin) If pillow is covered in plastic and can be wiped down, pillows do not need cloth covers. If pillows cannot be wiped down, a clean pillowcase for each candidate scheduled is required. Minimum of 13 Top Sheets Required.	
Pad/Linen protector (may use towel or draw-sheet as pad)			2 Per NAE Testing	
Pillows			1 Per Skills Bed	
Supportive devices Pillows, blanket rolls, or wedges may be used.			3 per NAE testing. Pillows or bolsters used for positioning must either be able to be wiped down or additional 3 pillowcases per candidate scheduled will be needed. (Up to 36 pillowcases)	
Washcloths Minimum of 48 washcloths needed.			4 per candidate scheduled 12 Candidate Maximum (4 X 12 = 48 washcloths.)	





EQUIPMENT LIST MODIFIED COVID-19 PLAN: NNAAP SKILLS EVALUATION

Please consult your state's Credentia Nurse Aide Candidate Handbook, found on <https://credentia.com/test-takers> to confirm the skills to be tested in your state that are associated with the equipment list below. *** COVID-19 modifications/updates**

SUPPLIES				
ITEMS	YES	NO	COVID-19 Amounts	
Basin, bath			4 per NAE testing	
Basin, emesis			2 per NAE testing	
Bedpan* (standard) *[PA not required]			2 per NAE testing	
Electronic Blood Pressure (EBP) Monitors with Cuffs *(CO, DOC, SC, NH, AK ONLY). Please see BP Monitor Specifications Document (not brand specific) Please check your state's NA Candidate Handbook online to confirm EBP is tested.			Minimum 2 machines; Upper arm monitors/cuffs only – no wrist monitors; Monitor portable, wall mounted, or on mobile stand 1 regular cuff per NAE Testing. 1 adult large cuff for usage of all NAEs.	
Manual Blood Pressure (MBP) Cuff *(regular and large cuffs) and Stethoscope* dual ear-piece *for Manual BP *[AL, CA, GA, GUAM, MD, MS, NC, ND, PA, RI, TX, WA, NMI, VI, VA –ONLY] Please check your state's NA Candidate Handbook online to confirm MBP is tested.			1 regular cuff per NAE Testing. 1 adult large cuff for usage of all NAEs. 1 dual earpiece stethoscope per NAE testing	






EQUIPMENT LIST MODIFIED COVID-19 PLAN: NNAAP SKILLS EVALUATION

Please consult your state's Credentia Nurse Aide Candidate Handbook, found on <https://credentia.com/test-takers> to confirm the skills to be tested in your state that are associated with the equipment list below. * COVID-19 modifications/updates

<p>Catheter and syringe * (use with mannequin for catheter skill) *</p> <p>Must have one additional catheter available for testing.</p> <p>[MD: not required]</p>		<p>1 per Mannequin</p>	   <p>Found in female mannequins</p>
<p>Coloring to simulate urine (for urinary output skill)</p> <p>*Yellow food coloring</p>		<p>Several drops of yellow food coloring per NAE testing</p>	
<p>Denture Brush (toothbrush labeled for denture skill)</p>		<p>1 per NAE testing</p>	
<p>Denture cup with lid</p>		<p>1 per NAE testing</p>	


EQUIPMENT LIST MODIFIED COVID-19 PLAN: NNAAP SKILLS EVALUATION

Please consult your state's Credentia Nurse Aide Candidate Handbook, found on <https://credentia.com/test-takers> to confirm the skills to be tested in your state that are associated with the equipment list below. *** COVID-19 modifications/updates**

<p>Dentures</p> <p>*Partials may not be used</p>		<p>1 full set or 2 uppers or 2 lowers for usage of all NAEs testing</p>	 <p>YES</p> <p>*NO*</p> 
<p>Knee-high elastic stockings (Clean, Large or Extra-large; must not use older type with loose flap in toe area)</p> <p>Can be any color, open or closed toed.</p>		<p>1 stocking per mannequin or 1 clean stocking per each Candidate that has Knee-High Skill in states where skill is performed on live client.</p> <p>(PA testing only allows use of human for this skill. Must have 1 clean stocking for each candidate testing (qty 12)</p>	  <p>open or closed toed OK</p>
<p>Measuring container* (graduate-cylinder or hat- at least 250 ml/cc units clearly visible) (No Urinals)</p>		<p>1 per NAE Testing</p>	 <p>Cylinder or Hat OK</p>
<p>Pen or Pencil</p>		<p>1 of each available</p>	

EQUIPMENT LIST MODIFIED COVID-19 PLAN: NNAAP SKILLS EVALUATION

Please consult your state's Credentia Nurse Aide Candidate Handbook, found on <https://credentia.com/test-takers> to confirm the skills to be tested in your state that are associated with the equipment list below. * COVID-19 modifications/updates

Transfer (gait) Belt			1 per NAE testing	 <p>Or similar</p>
----------------------	--	--	-------------------	---





EQUIPMENT LIST MODIFIED COVID-19 PLAN: NNAAP SKILLS EVALUATION

Please consult your State’s Credentia Nurse Aide Candidate Handbook, found on <https://credentia.com/test-takers> to confirm the Skills to be tested in your State that are associated with the equipment list below. * COVID-19 modifications/updates

DISPOSABLE SUPPLIES				
ITEMS	YES	NO	COVID-19 Amounts	
Alcohol wipe or Alcohol and cotton ball			2 per candidate scheduled 12 candidates maximum (2 x 24 candidates = 24)	
Antimicrobial Spray/Wipes – clearly labeled (any product deemed effective ref CDC or EPA websites) https://www.epa.gov/pesticide-registration/list-n-disinfectants-use-against-sars-cov2			1 per NAE testing in Skill room. Additional supply needed in written room.	
Disposable Drinking Cup			1 per candidate scheduled 12 candidates maximum (1 x 12 candidates = 12 per exam day)	
Food (two varieties, such as pudding, applesauce, or fruit cocktail, that can typically be fed in bite -sized portions with a spoon)			2 for each NAE Testing.	
Beverage Water (bottled)			2 for each NAE Testing.	


EQUIPMENT LIST MODIFIED COVID-19 PLAN: NNAAP SKILLS EVALUATION

Please consult your State's Credentia Nurse Aide Candidate Handbook, found on <https://credentia.com/test-takers> to confirm the Skills to be tested in your State that are associated with the equipment list below. * COVID-19 modifications/updates

<p>Large non-latex disposable gloves</p>		<p>3 pairs per candidate Scheduled.</p> <p>12 candidates maximum.</p> <p>(3 X 12 = 36 pair of gloves minimum per exam day.)</p>	
<p>Toothpaste (Separate tubes labeled mouth care and for denture care)</p>		<p>1 tube for mouth care and 1 tube for denture care per NAE testing.</p>	
<p>Isolation Gown, (Long sleeves that secures at neck and waist, at back or side, cannot secure in front. Cloth or disposable)</p> <p>*(pre-secured neck cannot be used)</p>		<p>1 per candidate scheduled. (NOTE: Only candidates assigned the PPE skill will use a PPE gown)</p> <p>12 candidates maximum (1 x 12 candidates = 12 Gown minimum)</p>	<p>*NO</p> 
<p>Hand Sanitizer</p>		<p>1 container per NAE testing in skill room. Additional container in written room.</p>	
<p>Hand wipes (may use washcloth)</p>		<p>2 Per candidate scheduled</p> <p>(2 X 12 candidates = 24 hand wipes minimum per exam day.)</p>	
<p>Lotion in pump container.</p> <p>(Hypoallergenic & Unscented)</p>		<p>1 container per NAE testing</p>	

EQUIPMENT LIST MODIFIED COVID-19 PLAN: NNAAP SKILLS EVALUATION

Please consult your State’s Credentia Nurse Aide Candidate Handbook, found on <https://credentia.com/test-takers> to confirm the Skills to be tested in your State that are associated with the equipment list below. * COVID-19 modifications/updates

Meal tray with “Name” card		1 per meal tray	
Paper plates		1 per candidate scheduled 12 candidates maximum (1 x 12 candidates = Minimum of 12 Plates per Exam Day)	
Paper towels		2 rolls for usage of all NAEs	
Plastic bags (for wastebasket)		2 for each wastebasket per exam day.	
Soap, liquid in pump container (Hypoallergenic & unscented/not rinse less/no foaming soaps)		1 container per NAE testing	
Spoons (disposable)		1 per candidate scheduled. (1 x 12 candidates = Minimum of 12 per Exam Day.)	
Toilet tissue		1 roll per NAE testing	
Toothbrush (individually wrapped)		1 per candidate scheduled (1 x 12 candidates = Minimum of 12 per Exam Day.)	